LED Infinity Trinocular Inverted Optical Microscope OPTO-EDU A14.0901

Basic Information

• Place of Origin: China

Brand Name: CNOEC, OPTO-EDU

Certification: CE, Rohs
Model Number: A14.0901
Minimum Order Quantity: 1 pc

Price: FOB \$1~1000, Depend on Order Quantity
 Packaging Details: Carton Packing, For Export Transportation

• Delivery Time: 5~20 Days

Payment Terms: T/T, West Union, Paypal

Supply Ability: 5000 pcs/ Month



Product Specification

Applications: Laboratory|Research

Certification: CE|Rohs

• Drawtube: Binocular|Trinocular

• Illumination: LED

Product Name: Inverted Optical Microscope

Theory: Inverted Microscope
 Highlight: OPTO-EDU A14.0901,

Infinity Trinocular Inverted Optical Microscope,

LED Inverted Optical Microscope



More Images









	A14.0901 Inverted I	Microscope	Α	В		
Optical	Infinity Color Corrected Optical System					
System	Infinity Color Corrected Optical System					
	Binocular Head					
	Trinocular Head, Light Split Switch E100:P0/E80:P20					
Head	Gemel Viewing Head, 45 Degree Inclined, Interpupillary					
	Distance 54-75mm, One	eyepiece tube with ±5 Diopter	•	•		
	Adjustment,					
Eyepiece	PL10x/22mm, High Eyepo		• •			
Гусріссс	PL15x/16mm, High Eyepoint, Wide Field					
Nosepiece	Reversed Revolving Quintuple Nosepiece					
	LWDPL 4x/0.10,					
		W.D.=22mm		•		
	Long Working Distance	LWDPL 10x/0.25,				
	Infinity Plan Achromatic	W.D.=7.94mm				
	Objectives	LWDPL 20x/0.40,	6	6		
	C D C C C C C C C C C C C C C C C C C C	W.D.=7.66mm		Ľ		
Objective		LWDPL 40x/0.60,		•		
Objective		W.D.=3.72mm				
		LWDPL 10x/0.25,	6	6		
		W.D.=7.94mm	Ĺ			
	LWD Infinity Plan Phase	LWDPL 20x/0.40,	•			
	Contrast Objectives	W.D.=7.66mm				
		LWDPL 40x/0.60,	6	6		
	W.D.=3.71mm					
Stage	Fixed Stage Size 250*160mm, Slider Clips					
		Glass Plate				
	Metal Plate					
	Petri Dish Holder, Dia.35mm					
	Movable Ruler, Travel Range 120x78mm					
	Extension Plate		0	0		
	Coaxial Coarse & Fine Fo	Coaxial Coarse & Fine Focusing System, Working				
Focusing		Distance Of Every Circle: 38mm/Coarse Focus, 0.2mm/				
l oodomig	Fine Focus, Minimal Read 0.002mm/,With Tension					
	Adjustment, With Safty St		L			
	N.A.0.3 Kohler Illumination Condenser, with Phase					
Condenser	Adjustable Slide Plate, Long Working Distance 72mm. The Whole Set Can Be Rotated Down					
Focusing Dis Fin Adj Condenser Adj			0	0		
	N.A.0.5 condenser for option, dismountable					
Phase	Phase Contrast Plug-board for 10x-40x, Center					
Contrast	Adjustable					
Contidot	Centering Telescope Dia. 30mm					
Filter	Dia.45mm Green Interference Filter					
	Dia.45mm Color Temperature Change Filter					
	Dia.45mm Infrared Elimin		0	0		
	Dia.45mm Rubidium Glas		0	0		
Light	Critical Illumination, With Iris Aperture, Halogen 6V30W,					
μLigiti	IDro contored Intensity Ac	Pre-centered, Intensity Adjustable				
Light	Fre-centered, intensity Ad					
Photo	· ·		_			
Photo	Photo Tube(with PK adap	otor), 3.2x Lens	0	0		
	Photo Tube(with PK adap		L			
Photo Adapter	· ·		0	0		

Series	Magnifica tion	N.A.	W.D.	F.N.	Cover Glass Thickness	Immer sion	Spri ng
Lplan Series(PH)	Lplan4x	0.1	22	22	1.2	/	/
	Lplan10x	0.25	7.94	22	1.2	/	/
	Lplan PH10x	0.25	7.94	22	1.2	/	/
	Lplan20x	0.4	7.66	22	1.2	/	/
	Lplan PH20x	0.4	7.66	22	1.2	/	/
	Lplan40x	0.6	3.71	22	1.2	/	/
	Lplan PH40x	0.6	3.71	22	1.2	/	/

Product Details









Attachable mechanical stage
Moving range: 120x78mm. It can clamp types of
standard cell culture plates. With the help of
related accessories, it could be used to move the
dish, flask, slide and so on.



Wide-field plan eyepiece
New designed high eye -point wide-field plan
eyepiecePL10X/22, has a full bright diagram without
chromatic circle. International popular 22mm field of view is
convenient for target seeking and counting.



Phase Contrast Accessories
Select a matching phase contrast slide on the basis of the chosen illuminator. With the phase contrast objectives, phase contrast observation can be realized. Thus you can acquire a better it is better image contrast than the bright field. The cell image is with a strong sense of relief. You can use it to do a more detailed observation on those component parts of colorless transparent cells.

Digital Camera Adapter
Microscopy image can be output to monitor or computer
by connecting the Trinocular tube and camera device.
Then image analysis, processing, storage and
transmission would be available.





LPLAN series long working distance plan infinity color corrected objectives, designed tor living-cells culture in laboratory, clear image, good contrast, and also have a good performance under fluorescence observation.

LPLAN PH series long working distance infinity phase contrast objectives. In addition to the realization of the bright field observation, the phase contrast observation function has been developed to make the view showing a sense of relief and a substantial increase in image contrast and resolution.



OPTO-EDU

F-1501 Wanda Plaza, No.18 Shijingshan Road, Beijing 100043, China Tel:+8610 88696020 Fax:+8610 88696085

A14.0901 **Inverted Microscope**





Opto-Edu (Beijing) Co., Ltd.

0086 13911110627



sale@optoedu.com © cnoec.com



F-1501 Wanda Plaza, No. 18 Shijingshan Road, Beijing 100043, China