## **Basic Information**

cnoec.com

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- A36.6401 1 pc FOB \$1~1000, Depend on Order Quantity Carton Packing, For Export Transportation 5~20 Days T/T, West Union, Paypal 5000 pcs/ Month

# OPTO-EDU



## **Product Specification**

- LCD Screen:
- Camera Pixel:
- Data Output:
- Objective:
- Total Magnification:
- Illumination:
- Highlight:

### 10.6" IPS LCD 12MP

HDMI

Opto-Edu (Beijing) Co., Ltd.

China

CE, Rohs

CNOEC, OPTO-EDU

- 0.7x~4.5x Zoom Lens
- 14x~90x On 10.6" LCD Screen
  - Side/Up LED Light, Brightness Adjustable
  - DC12V Digital LCD Microscope, CNOEC Digital LCD Microscope, HDMI Digital LCD Microscope



## More Images





#### LED Light Source DC12V Digital LCD Microscope Pole Stand 200\*255\*60mm Size

A36.6401 is widely used in PCB boards, hardware, serial devices, FPC, textiles, tickets, kinds of visual industrial testing, digital magnifying glass, hospital research, education, criminal investigation and other fields. It will reduce labor intensity and improve work efficiency.

It can be applied to the following fields:

1.1 Studies in zoology, botany, entomology, histology, mineralogy, archaeology, geology and dermatology;

- 1.2 In the textile industry, used for testing raw materials and wool fabrics;
- 1.3 In the electronics industry, as a transistor spot-welding, inspection and other operating tools;

1.4 Inspection of surface phenomena such as fracture composition of various materials and corrosion of pore shape;

- 1.5 When manufacturing small precision parts, it is used as equipment of machine tools, observation of working process,
- inspection of precision parts and assembly tools;
- 1.6 Surface quality of lens, prism or other transparent material, and quality inspection of precision scale;

1.7 It is widely used in textile products, chemical chemistry, plastic products, electronic manufacturing, mechanical manufacturing, pharmaceutical manufacturing, food processing, printing industry, universities, archaeology and many other fields.



A36.6401 10.6" LCD Digital Stereo Microscope, 14x-90x, 12M





Power	DC 12V1A, Wide Range 100~240V AC Adapter •" Means Standard Outfit, "o" Means Optional		•	•	•
Optional	SD Card		0	0	0
	WiFi SD Card, Upgrade To WiFi Microscope		0	0	0
	Boot Logo		0	0	0
	A52.6401- 2.0	Auxilliary Lens 2.0x	o	0	0
Stand	A52.6401- 0.5	Auxilliary Lens 0.5x	o	о	0
	Stand	320mm*260mm*20mm, White (Same Cost)	o	0	0
		380mm*250mm*20mm, Black	•	•	•
	Column	Round Pole, Dia.25mm	•	•	•
Optical	Working Distance	88mm	•	•	•
	Focus Range	60mm	•	•	•
	Illumination	Side/Up LED Light, Brightness Adjustable	•	•	•
	Total Magnificatio n	14x~90x On 10.6" LCD Screen	•	•	•
	Objective	0.7x~4.5x Zoom Lens	•	•	•
	External Interface	Projector/Monitor With HDMI Port	•		•
	Storage	SD Card Storage (Max 32G)	•	•	•
	Function	Auto White Balance Photo, Video Recording	•	•	•
		Auto Exposure, Exposure Offset			

Opto-Edu (Beijing) Co., Ltd.

C 0086 13911110627 Sale@optoedu.com C cnoec.com

F-1501 Wanda Plaza, No. 18 Shijingshan Road, Beijing 100043, China