# 100X Industry Trinocular Metallurgical Optical Microscope A13.0216

### **Basic Information**

Place of Origin: China

• Brand Name: CNOEC, OPTO-EDU

Certification: CE, Rohs
Model Number: A13.0216
Minimum Order Quantity: 1 pc

Price: FOB \$1~1000, Depend on Order Quantity
 Packaging Details: Carton Packing, For Export Transportation

• Delivery Time: 5~20 Days

• Payment Terms: T/T, West Union, Paypal

Supply Ability: 5000 pcs/ Month



## **Product Specification**

• Application: Research, Learning, Metallurgical

Certification: CE, Rohs
 Drawtube: Trinocular
 Illumination: Halogen Lamp
 Magnification: 50X - 500X

• Theory: Metallurgical Optical Microscope

 Highlight: bright field microscope, halogen lamp microscope




# **Product Description**

## **Industry Trinocular Metallurgical Optical Microscope A13.0216**

#### Specifications:

Specification	A13.0216 Metallurigical Microscope	П	-BD	-DIC
Head	Frinocular head, inclination of 22.5 °,diopter adjustment 5, interpupillary 63mm-75mm			
Eyepiece	Wide field WF10X(field number:Φ22mm)			
Infinity Plan Achromatic Objective	PL L5X/0.12 (Work distance):26.1 mm (Bright field)	•		
	PL L10X/0.25 (Work distance):20.2 mm ( Bright field)	•		
	PL L20X/0.40 (Work distance):8.8. mm (Bright field)	1		
	PL L50X/0.70 (Work distance):3.68 mm (Bright field)	1		
	PL L5X/0.12 (Work distance):9.7 mm (Bright /Dark field)	П	•	
	PL L10X/0.25 (Work distance):9.3 mm (Bright /Dark field)	П	•	
	PL L20X/0.40 (Work distance):7.2 mm (Bright /Dark field)	П	•	
	PL L50X/0.70 (Work distance):2.5 mm (Bright /Ddark field)	П	•	
	PL L5X/0.10 (Work distance):18.2 mm (DIC)	П		•
	PL L10X/0.25 (Work distance):20.2 mm (DIC)	П		•
	PL L20X/0.35 (Work distance):6.0mm (DIC)	П		•
	PL L50X/0.70 (Work distance):2.5 mm (DIC)	П		•
Illumination	12V50W halogen and brightness adjustable			
	For LMPlan 5x/10x/20x objective DIC flashboard			•
Focus System	Coaxial coarse/fine focus system, with coarse focus knob tension adjustable device, minimum division of fine focusing: 2µm. Max. hight of sample: 100mm. Range: 35mm			
Nosepiece	Quintuple nosepiece			
Filter	Gross filter, yellow, green, blue filters			
Stage	Base overall size:300mmX250mm			
	Mechanical stage overall size:160mmX140mm, moving range:30mmx35mm			







0086 13911110627

sale@optoedu.com

cnoec.com

F-1501 Wanda Plaza, No. 18 Shijingshan Road, Beijing 100043, China