# Infinity Plan LED Fluorescence Microscope 100X - 1000X A16.0907-BL

## **Basic Information**

• Place of Origin: China

CNOEC, OPTO-EDU Brand Name:

. Certification: CE, Rohs Model Number: A16.0907-BL

• Minimum Order Quantity: 1 pc • Price: Negotiation

• Packaging Details: Carton Packing, For Export Transportation

• Delivery Time: 5~20 Days

• Payment Terms: T/T, West Union, Paypal 5000 pcs/ Month • Supply Ability:



# **Product Specification**

Research, Learning, Laboratory • Application:

Certification: CE, Rohs

• Drawtube: Binocular, Trinocular

LED • Illumination:

Magnification: 100X - 1000X

• Theory: Fluorescence Microscope

• Highlight: inverted fluorescence microscope, epifluorescence microscope





# More Images

















# **Product Description**

#### Description:

- --Single Band LED Professional Fluorescent Microscope
- --Infinity Plan Optical System
- --Variety of Illuminator Methods Available
- --Sensitive Dimming System
- --Safty Handle Design
- --Kohler Illumination Condenser

# Our Prod

## Specifications:

A16.0907-BL FI	uorescent Microscope	
Head	Binocular, 30° Inclined, Interpupillary Distance 50-75mm	
Eyepiece	PL10x/20mm, Wide Field, High Eye Point, Diopter Adjustable +/-5 Degree	
Objective	Infinity Plan Achromatic 10x/0.25, 20x/0.50, 40x/0.65, 100x/1.25	
Nosepiece	Backward Quadruple	
Focusing	Low Position Coaxial Coarse & Fine Focusing Knob, with Safty Limitation	
	and Tension Adjustment Ring. Coarse Range 25mm, Fine Precision 0.002mm	
Working Stage	Double Layer Mechanical Stage 150*140mm, Moving Range 76*50mm, Precision 0.1mm	
Condenser	Kohler N.A. 1.25, with Socket for Phase Contrast and Dark Field Slides, Center Fixed	
Filter	Blue, Dia.45	
Light Source	3W LED, Intensity Adjustable, Center Fixed	
Fluorescent	LED Fluorescent Moudle, with Brightness Adjust Knob, Bright Field Fluorescent	
	Switch Knob, LED Wave Length 470, Band B1	
Power	90~240V Wide Range Power Supply	
A16.0907-B Flu	orescent Microscope Optional Accessories	
Head	Trinocular, 30° Inclined, Interpupillary Distance 50-75mm	A53.0907-T30R
Eyepiece	PL10x/22mm, Wide Field, High Eye Point, Diopter Adjustable +/-5 Degree	A51.0904-1022T
Nosepiece	Backward Quintuple	A54.0930-BS5
Fluorescent	LED Fluorescent Moudle, with Brightness Adjust Knob, Bright Field Fluorescent	A5F.0912-G1
	Switch Knob,LED Wave Length 560, Band G1	
	LED Fluorescent Moudle, with Brightness Adjust Knob, Bright Field Fluorescent	A5F.0912-UV2
	Switch Knob,LED Wave Length 365, Band UV2	
	LED Fluorescent Moudle, with Brightness Adjust Knob, Bright Field Fluorescent	
	Switch Knob,LED Wave Length 455, Band B4	A5F.0912-B4
	Speically Used for Tuberculosis Inspection	
Adapter	C-Mount 1.0x, Focus Adjustable	A55.0925-1
	C-Mount 0.5x, Focus Adjustable , for 1/2 CCD	A55.0925-1/2
	C-Mount 0.35x, Focus Adjustable, for 1/3 CCD	A55.0925-1/3
	Photo Adapter with PK or MD mount, with 3.2x Photo Eyepiece	A55.0901-1
	Professional Photo C Mount, with Photo Eyepiece	A55.0910
















Multi-Band Fluorescence Observation
Equiped with three fluorescence channels and a bright field channel, can install four fluorescent filter blocks at most.
Professional used in biomedicine cell delection, immunoflu orescence analysis, fluorescence in situ hybridization (FISH)










Safe Carrying Design
The hole on the back of the body make it safe and easy to carry the microscope anywhere







F-1501 Wanda Plaza, No. 18 Shijingshan Road, Beijing 100043, China