Opto-Edu (Beijing) Co., Ltd.

WF10X/20mm Seidentopf Binocular Digital Microscope A31.2601 With Mechanical Stage

Basic Information

• Place of Origin: China

• Brand Name: CNOEC, OPTO-EDU

Certification: CE, Rohs
Model Number: A31.2601
Minimum Order Quantity: 1 pc

Price: FOB \$1~1000, Depend on Order Quantity
 Packaging Details: Carton Packing, For Export Transportation

• Delivery Time: 5~20 Days

Payment Terms: T/T, West Union, Paypal

• Supply Ability: 5000 pcs/ Month



Product Specification

Magnification: 40x-1000xCertification: CE

Drawtube: Binocular

Illumination: Halogen Lamp|LED
 Theory: Digital LCD Microscope

Nosepiece: Quadruple Revolving Nosepiece
 Highlight: digital trinocular microscope, usb digital microscope

WF10X/20mm Seidentopf Binocular Digital Microscope A31.2601 With Mechanical Stage



OPTO-EDU (BEIJING) CO., LTD.

F-1501 Wanda Plaza, No.18 Shijingshan Road, Beijing 100043, China Tel:+8610 88696020 Fax:+8610 88696085

A31.2601

Digital Biological Microscope, 3.2M/5.0M





Built-in 3MP/5MP Digital Camera System

Digital Camera

3.2M/5.0M Pixels, 1/2"CMOS, USB 2.0



Seidentopf Binocular Digital Head

Rotatable $360^{\circ}\,$, Interpupilary Distance $50\text{-}75\text{mm}\,$

Inclined 30°,Rotatable 360°, Interpupillary Distance 50-75mm, High Eyepoint Eyepiece, Which Is Convenient For People With Different Sitting

The Integrated Design Of The Eyepiece Lens Barrel, Avoids The Loss And Contamination Of The Eyepiece And Enhances The Integrated Performance Of The Microscope



Quadruple Backward Nosepiece Infinity EPLAN Objectives: 4x, 10x, 40x, 100x (s,o)



Mechanical Stage Size 145×140mm Travel Range 76×52mm

Double Slide Holder Working Stage

Mechanical Stage Size: 145 mm×140mm, Travel: 76mmX52mm, Scale: 0.1mm



Abbe Condenser N.A.1.25, Iris Diaphragm, Rack & Pinion Up/Down



6V20W Halogen Lamp With Brightness Control

Condenser & Light Source

Abbe Condenser N.A.1.25, Iris Diaphragm, Rack & Pinion Up/Down, With Filter Holder
6V20W Halogen Lamp With Brightness Control (85V-265V)



Coaxial Coarse & Fine Focusing



Wire Winding Device






Powered By Safety Low Voltage Charger, Input Wide Voltage 100V-240V, Output 5V1A, Support Power Bank Supply For Outdoor Use

Items	A31.2601 Digital Biological Microscope Specification	3.2M	5.0M	Cata. No.			
Digital Carrage	3.2M Pixels, 1/2"CMOS, USB 2.0	•					
Digital Camera	5.0M Pixels, 1/2"CMOS, USB 2.0		•				
Head	Seidentopf Binocular Head , Inclinded 30°, 360° Rotatable, Interpupillary Distance 50-75mm						
Eyepiece	WF10x/18mm	00	00	A51.2602-1018			
	WF10X/20mm (High Eyepoint)	••	••	A51.2602-1020			
Nosepiece	Quadruple, Backward	•	•	A54.2610-N734			
	Quintuple, Backward	0	0	A54.2610-N735			
Infinity E-Plan Objective	EPLAN 4x/0.10,W.D.=12.1mm	•	•	A52.2605-4			
	EPLAN 10x/0.25,W.D.=4.14mm	•	•	A52.2605-10			
	EPLAN 20x/0.4	0	0	A52.2605-20			
	EPLAN 40x/0.65(S),W.D.=0.58mm	•	•	A52.2605-40			
	EPLAN 100x/1.25(S, Oil),W.D.=0.19mm	•	•	A52.2605-100			
Infinity Plan Objectives	PLAN 2.5x/0.07,W.D.=8.47mm	0	0	A52.2606-2.5			
	PLAN 4X/0.10.W.D.=12.1mm	0	0	A52.2606-4			
	PLAN 10X/0.25.W.D.=4.64mm	0	0	A52.2606-10			
	PLAN 20X/0.40(S).W.D.=2.41mm	0	0	A52.2606-20			
	PLAN 40X/0.66(S).W.D.=0.65mm	0	0	A52.2606-40			
	PLAN 60X/0.80(S).W.D.=0.33mm	0	0	A52.2606-60			
	PLAN 100X/1.25(S,Oil).W.D.=0.12mm	0	0	A52.2606-100			
	PLAN 100X/1.15(S,Water).W.D.=0.19mm	0	0	A52.2606-100W			
Working Stage	Mechanical Stage Size: 145 mm×140mm, Travel: 76mmX52mm, Scale:						
	0.1mm, Double Slide Holder	•	•	A54.2601-S04			
	Rackless (Integrated) Stage, Size 140×135mm,			AE4 0004 046			
	Travel Range 75×35mm, Double Slide Holder	0	0	A54.2601-S12			
Focusing	Coaxial Coarse & Fine Focusing, Coarse Focusing Travel Range: 26mm, Fine	•					
	Focusing Travel Range: 2µm/Division	•	•				
Condenser	Abbe Condenser N.A.1.25, Iris Diaphragm, Rack & Pinion Up/Down, With		•	A56.2614-C06b			
00.10011001	Filter Holder	_	_				
Illumination	3W-LED Illumination Systems						
	Powered By Safety Low Voltage Charger, Input Wide Voltage 100V-240V,	•	•	A56.2613-3W			
	Output 5V1A, Support Power Bank Supply For Outdoor Use						
Field Diaphragm	Upgrade To Kohler Illumnation	0	0	A56.2615-S			
Dark Field	Dark Field Condenser, Dry, N.A.0.83-0.91, For 4x10x40x Objective	0	0	A5D.2610-S			
Polarizing	Analyzer + Polarizer Set	0	0	A5P.2601-S			
	Infinity Plan Phase Contrast Objective 10x + Phase Contrast Slide 10x +	0	0	A5C.2601-10			
	Phase Contrast Condenser + Telescope 11x + Green Filter						
	Infinity Plan Phase Contrast Objective 20x + Phase Contrast Slide 20x + Phase Contrast Condenser + Telescope 11x + Green Filter	0	0	A5C.2601-20			
	rnase contrast condenser + relescope FTX + Green Filter	<u> </u>		L			

Phase Contrast	Infinity Plan Phase Contrast Objective 40x + Phase Contrast Slide 40x + Phase Contrast Condenser + Telescope 11x + Green Filter	0	0	A5C.2601-40	
	Infinity Plan Phase Contrast Objective 100x + Phase Contrast Slide 100x + Phase Contrast Condenser + Telescope 11x + Green Filter	0	0	A5C.2601-100	
	Turret Phase Contrast Attachment Infinity Plan Phase Contrast Objective 10x20x40x100x, Turret Phase Contrast Condenser 5-Holes, Telescope 11x, Green Filter	0	0	A5C.2603-S	
Mirror	Reflecting Mirror & Holder	0	0	A56.2601	
Attachment	Wire Winding Device	0	0	A50.2602-S	
Package	Carton Size 575*380*550mm, 1 Unit/Ctn	•		•	
Weight	Gross Weight 8.0kgs, Net Weigth 7.0kgs				
Note: "●"In Table Is Standard outfits, "○" Is Optional Accessories					

Product Size(mm)



Product Accessories



A51.2602-1018 WF10x/18mm



A51.2602-1020 WF10X/20mm (High Eyepoint)



A52.2605 Infinity E-Plan Objective



A52.2606 Infinity Plan Objectives



A5C.2601 Phase Contrast Objective + Side + Condenser + Telescope + Green Filter



A5C.2603-S Turret Phase Contrast Attachment



A54.2601-S12 Rackless (Integrated) Stage



A56.2601 Reflecting Mirror & Holder



A5P.2601-S Analyzer + Polarizer Set



A56.2615-S Field Diaphragm



A5D.2610-S Dark Field Condenser, Dry

0

Opto-Edu (Beijing) Co., Ltd.







F-1501 Wanda Plaza, No. 18 Shijingshan Road, Beijing 100043, China