# 1000X Digital Optical Microscope

## **Basic Information**

Place of Origin: China

• Brand Name: CNOEC, OPTO-EDU

Certification: CE, RohsModel Number: A32.0601-200

• Minimum Order Quantity: 1 pc

Price: FOB \$1~1000, Depend on Order Quantity
 Packaging Details: Carton Packing, For Export Transportation

• Delivery Time: 5~20 Days

Payment Terms: T/T, West Union, Paypal

Supply Ability: 5000 pcs/ Month



# **Product Specification**

Applications: Student, School
Certification: CE, Rohs
Illumination: LED
Max Magnification: 1000X

• Theory: Digital Optical Microscope

• Pixel Size: 5.2um X 5.2um

• Highlight: digital usb microscope,

optical microscope with digital camera



# More Images





## **Product Description**

### 1000X High precision Digital Optical Microscope Video Zoom A32.0601-200

### Description:

The digital video zoom microscope combines the tradtional optical technology and digital imaging technology and offers high quality video images. It can solve the problems generated by using a traditional microscope that requires a strict environment. Equipped with high performance Nickel hydrogen rechargeable battery, it can be used for longer inspection time in fieldwork.

With powerful functions of real-time micro-photography, video recording and measurement, on-site high-speed image acquisition, digital image input to PC for inspection, image storage, video recording, measurement at micron-level and image output can be realized. It is a good substitute for a traditional optical magnifier, stereo microscope, comparing microscope, video measurement system and micro-photographing instrument. When used in long-distance scene evidence identification, the images of on-site evidence samples can be captured, inspected, compared and measured, and the on-site scene can enter the micro-world instantly.

### Specifications:

A32.0601-200 Digital Video Zoom Specification		
Zoom Body of Zoom		
Range	0.7x-4.5x	
Zoom Ratio	1:6.5	
Total Magnification	4.7x-1000x	
Semi-plan Achromatic	0.0v 0.5v 0.75v 1.5v and 0v (antional)	
Objective	0.3x, 0.5x, 0.75x, 1.5x and 2x (optional)	
High-Power Objective	5x and 10x	
Lens	ox and fox	
Image Sensor	1.3M pixel 1/2" color CMOS( standard)	
Pixel Size	5.2um x 5.2um	
Spectrum Response	400nm-1000nm	
Scanning Type	Progressive scanning	
Exposal Type	ERS	
Resolution	1280x1024	
Transmission Rate	16f/s@1280*1024, 30f/s@640*480, 30f/s@320*240	
White Balance	Automatic operation supported	
Exposal Control	Manual opertion supported	
Image Output	USB2.0, 480Mb/s	
Function	Image capture, video recording and measuring function	
Laser Pointer	Wave length: 650nm	
Working Temperature	0-50 degree	
	Windows 2000, XP and Vista Operation System	
Minimum System Requirement	PIII 800 CPU or above	
	256MB Memory or above	
	64MB video memory or above	
	USB2.0 interfaces	
	1024*768 resolution monitor or above	
Stand	76mm track stand	
Optional Accessories		
0.3x, Semi-Plan, Outer Dia.30mm, W.D.331mm A52.0626-03		
Objectives	0.5x, Semi-Plan, Outer Dia.30mm, W.D.198mm	
	0.75x, Semi-Plan, Outer Dia.30mm,	A52.0626-75
	W.D.131mm	A32.0626-73
	1.5x, Semi-Plan, Outer Dia.30mm, W.D.63mm	A52.0626-15
	2.0x, Semi-Plan, Outer Dia.30mm, W.D.46mm	A52.0626-13
	5x Infinity corrected long working distance	A32.0020-20
	objective	A52.0627-5
	10x Infinity corrected long working distance	
	objective	A52.0627-10
Illumination Accessories	Iris Diaphragm	A56.0606
	LED side light	A56.0607
Tripod & Accessories	Tripod,Full Size, 3.5Kgs, with Panhead.	A50.0604-11
	Tilt Ball Head	A50.0604-11
	Super Mag Slider, Made of Magnesium Alloy	A50.0604-13
	Extension Bar, Total Length 600mm	A50.0604-13
	Laptop Tray	A50.0604-14
	Tilt Ball Head Adapte	A50.0604-16
Polarizing Microscope	Polarizer	A5P.0602
r dianzing iviicioscope	4.8V 2200mA/h, Nickel hydrogen battery	A50.0602
Rechargeable Battery		A30.0002
	Battery Charger, Input Voltage 100-240V 50/60Hz, Output Voltage 6.0-6.5V, Current 250-	A50 0602-B
	350mA	,100.0002-11
	OOOIIIA	











# Opto-Edu (Beijing) Co., Ltd.



0086 13911110627



