China

CE, Rohs

A15.1122

Negotiation

5~20 Days

1 pc

CNOEC, OPTO-EDU

T/T, West Union, Paypal

Transmission Polarizing Light Microscope For Silicon Wafers A15.1122

Carton Packing, For Export Transportation

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:

Product Specification

- Supply Ability:

5000 pcs/ Month

- Application: Certification:
 - Certification.
- Drawtube:
- Illumination:
- Magnification:
- Theory:
- Highlight:

- Metal, Silicon Wafers CE, Rohs
- Binocular
- Halogen Lamp
- 40x 630x
 - Polarizing Light Microscope
 - student compound microscope, compound light microscope



Our Product Introduction



Transmission Polarizing Light Microscope For Silicon Wafers A15.1122

Description:

A15.1122 transmission polarization microscope is one of the most modern designed instruments for metallurgy, geology and minerals areas and is in common use in altitude academy. Recent year, with the development of optics technology, polarization microscope, as optics instrument, whose the range of application becomes wider and wider. A15.1122 transmission polarization microscope is collocated gypsum (λ), mica(1/4 λ) sample, quartz wedge, attachable mechanical stage and any other parts. It is a set of new product that has maturity function and good quality.

Specifications:

	A15.1122 Polarizing Microscope Specification	-A	-B
Head	Sliding Binocular,45°inclined,52mm-74mm	٠	-
	Sliding Trinocular,45°inclined,52mm-74mm	-	•
Eyepiece	Wide Field WF10X/18mm	٠	•
	10X Gridding Eyepiece	٠	٠
	10X Eyepiece with Reticule	٠	٠
Achromatic Objective	4X	٠	٠
	10X	٠	٠
	25X	٠	٠
	40X(S)	٠	٠
	63X(S)	٠	٠
Focus System	Coaxial Coarse and Fine Focusing with Rack and Pinion		
	Mechanism; Fine Focusing Scale Value 0.002mm		•
Condenser	Swing Type N.A.1.25 Abbe Condenser with Iris Diaphragm&Filter	٠	٠
Stage	Round Revolving Stage, Stage Size: Φ160mm, Moving Range: 360°	٠	•
Collector	High brightness Light Collector	٠	٠
Light Source	Halogen Bulb 6V/30W,AC 85V-230V ,Adjustble Brightness	٠	٠
	Optional Accessories		
Eyepiece	WF16X		
	WF20X		
	P16X		



